

AMY-50-WAS

Asymmetric beam for wall-washing

SPECIFICATION:

Dimensions	Ø 49.9
Height	13.6 mm
Fastening	socket
ROHS compliant	yes 🕕



MATERIALS:


Component	Туре	Material	Colour	Finish	Length (mm)
AMY-50-WAS	Single lens	PMMA	clear		
AMY-50-HLD2-C-ASYM	Holder C	PC	black		
AMY-50-HLD2-B-ASYM	Holder B	PC	black		
AMY-50-HLD2-C-WHT-ASYM	Holder C	PC	white		
AMY-50-HLD2-B-WHT-ASYM	Holder B	PC	white		



ORDERING INFORMATION:

Component	Qty in box	MOQ	MPQ	Box weight (kg)
C18441_AMY-50-WAS	540	120	30	9.1
Assembly				
CP19156_AMY-50-WAS-B2-WHT	510	120	30	10.3
CP19146_AMY-50-WAS-C2-WHT	510	120	30	9.8
CP19137_AMY-50-WAS-B2	510	120	30	10.3
CP19128 AMY-50-WAS-C2	510	120	30	9.8

PRODUCT DATASHEET AMY-50-WAS



See also our general installation guide: www.ledil.com/installation_guide

OPTICAL RESULTS (MEASURED):

PHILIPS

LED Fortimo SLM C TW L09A 1919 G7N


Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 77 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1

Light colour/type Tunable White

Required components:

C16142_HEKLA-SOCKET-K Bender Wirth: 501 Typ L8



bridgelux

LED V10 Gen 8-9

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White

Required components: F15255_HEKLA-SOCKET-C


Light distribution files

bridgelux.

LED V10 Gen 8-9
FWHM / FWTM Asymmetric
Efficiency 82 %

Efficiency 82 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White

Required components: F19857_HEKLA-G2B-C2



Light distribution files




LED V6 HD Gen 8

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 1.2 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:

F15255_HEKLA-SOCKET-C



bridgelux.


LED VFRO13

CP19128_AMY-50-WAS-C2 Ordering code

FWHM / FWTM Asymmetric Efficiency 83 % Peak intensity 0.8 cd/lm LEDs/each optic Light colour/type White

Required components:

C16142_HEKLA-SOCKET-K



Light distribution files

bridgelux

Vesta DTW 6mm LED

CP19128_AMY-50-WAS-C2 Ordering code

FWHM / FWTM Asymmetric Efficiency 85 % Peak intensity 1.2 cd/lm LEDs/each optic 1 Light colour/type White Required components:

Bender Wirth: 652b Hekla

Light distribution files

bridgelux

Vesta SE 13mm TW


Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric Efficiency 78 % 0.9 cd/lm Peak intensity LEDs/each optic

Tunable White Light colour/type

Required components:

C16142_HEKLA-SOCKET-K



CITIZEN

LED CLU02x (LES10)

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:

F17435_HEKLA-G2-C

Light distribution files


CITIZEN

LED CLU02x (LES10)

Ordering code CP19146_AMY-50-WAS-C2-WHT

FWHM / FWTM Asymmetric
Efficiency 90 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White

Required components: F17435_HEKLA-G2-C



Light distribution files



LED CHA0410

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 1.3 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:
F17435_HEKLA-G2-C

50Å*

50Å*

50Å*

50Å*

50Å*

50Å*

50Å*

50Å*


CREE \$

LED CHA0612

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 1.2 cd/lm
LEDs/each optic 1
Light colour/type White

Required components: F17435_HEKLA-G2-C



Light distribution files




LED CHA0825

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour/type White

Required components: F17438_HEKLA-G2-I




Light distribution files



LED CMU10xx

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:
F17435_HEKLA-G2-C




CREE +

LED CMU15xx

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 81 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour/type White

Required components: F17438_HEKLA-G2-I



Light distribution files




LED CXA/B 13xx

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 1.3 cd/lm
LEDs/each optic 1
Light colour/type White

Required components: F17439_HEKLA-G2-J



Light distribution files




LED CXA/B 15xx

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:

F17436_HEKLA-G2-D





LED LUXEON CX Plus CoB L08 (Gen2)
Ordering code CP19128_AMY-50-WAS-C2

White

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1

Light colour/type
Required components:

Bender Wirth: 637a Hekla

Light distribution files


UMILEDS

LED LUXEON CX Plus CoB - HD S01H4
Ordering code CP19137_AMY-50-WAS-B2

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 1.3 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:

Bender Wirth: 634c Bayonet35L



Light distribution files


MILEDS

LED LUXEON CX Plus CoB - HD S02H6
Ordering code CP19137_AMY-50-WAS-B2

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 1.2 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:

rrequired components.

Bender Wirth: 634c Bayonet35L Light distribution files




LUMILEDS

LED LUXEON CX Plus CoB - HD S04H9 CP19137_AMY-50-WAS-B2 Ordering code

FWHM / FWTM Asymmetric Efficiency 84 % Peak intensity 1 cd/lm LEDs/each optic Light colour/type White Required components:

Light distribution files Bender Wirth: 634a Bayonet35L



LUMILEDS


LUXEON CX Plus CoB L04 / L05 (Gen2) LED

CP19128_AMY-50-WAS-C2 Ordering code

FWHM / FWTM Asymmetric Efficiency 83 % Peak intensity 0.9 cd/lm LEDs/each optic White Light colour/type

Required components:

F15254_HEKLA-SOCKET-B



Light distribution files


LUMILEDS

LUXEON CX Plus CoB M02 / M03 (Gen2)

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric Efficiency 85 % 1 cd/lm Peak intensity LEDs/each optic White Light colour/type Required components:

F15256_HEKLA-SOCKET-D





LED LUXEON CX Plus CoB S01 (Gen2) Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric Efficiency 86 % Peak intensity 1.2 cd/lm LEDs/each optic Light colour/type White

F15956_HEKLA-SOCKET-J

Required components:

Light distribution files




CHM-9 XH (19x19) LED CP19128_AMY-50-WAS-C2 Ordering code

FWHM / FWTM Asymmetric Efficiency 85 % Peak intensity 1.1 cd/lm LEDs/each optic 1 White Light colour/type

Required components:

F15859_HEKLA-SOCKET-I



Light distribution files




CTM-14 (Tunable White) Gen2 Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric Efficiency 83 % 0.8 cd/lm Peak intensity LEDs/each optic

Tunable White Light colour/type

Required components:

C16142_HEKLA-SOCKET-K



Light distribution files

Bender Wirth: 442 Typ L8




LED CTM-6 (Tunable White) Gen2
Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 1.2 cd/lm
LEDs/each optic 1

Light colour/type Tunable White

Required components:

C16142_HEKLA-SOCKET-K



Light distribution files

Bender Wirth: 495 Typ L8



LED CTM-9 (Tunable White) Gen2
Ordering code CP19128_AMY-50-WAS-C2


FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 1.1 cd/lm

LEDs/each optic 1

Light colour/type Tunable White

Required components:

C16142_HEKLA-SOCKET-K



Light distribution files

Bender Wirth: 495 Typ L8




LED CxM-6 (13.5x13.5)

Ordering code CP19137_AMY-50-WAS-B2

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 1.3 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:

BJB: 47.360.1020



Light distribution files

WNICHIA


LED COB J-Type

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 82 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:

Bender Wirth: 663a Hekla XL



Light distribution files


WNICHIA

LED COB L-Type (LES 11)
Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 0.9 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:

F15858_HEKLA-SOCKET-H



Light distribution files


WNICHIA

LED COB L-Type (LES 9)

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:

F15858_HEKLA-SOCKET-H



Light distribution files


WNICHIA

LED COB S-Type (LES 6) CP19137_AMY-50-WAS-B2 Ordering code

FWHM / FWTM Asymmetric Efficiency 84 % Peak intensity 1.2 cd/lm LEDs/each optic Light colour/type White

Required components:

Bender Wirth: 652a Bayonet35L



Light distribution files


WNICHIA

COB S-Type (LES 7) LED CP19137_AMY-50-WAS-B2 Ordering code

FWHM / FWTM Asymmetric Efficiency 84 % Peak intensity 1.2 cd/lm LEDs/each optic 1 White Light colour/type

Required components:

Bender Wirth: 652a Bayonet35L



Light distribution files


WNICHIA

COB T-Type

Ordering code CP19137_AMY-50-WAS-B2

FWHM / FWTM Asymmetric Efficiency 84 % 1.2 cd/lm Peak intensity LEDs/each optic White Light colour/type Required components:

Bender Wirth: 652a Bayonet35L



Light distribution files

WNICHIA

LED NJCWL024Z-V1MT: COB L-Type Tunable White


Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 1.2 cd/lm
LEDs/each optic 1

Light colour/type Tunable White

Required components:

C16142_HEKLA-SOCKET-K



Light distribution files

Bender Wirth: 497 Typ L8 HV

WNICHIA

LED NJNWS012Z-V1MT: COB S-Type Tunable White


Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 1.4 cd/lm
LEDs/each optic 1

Light colour/type Tunable White

Required components:

C16142_HEKLA-SOCKET-K



Light distribution files

Bender Wirth: 495 Typ L8 HV

WNICHIA

LED NVCWJ024Z-V1MT: COB J-Type Tunable White

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1 cd/lm
LEDs/each optic 1

Light colour/type Tunable White

Required components:

C16142_HEKLA-SOCKET-K

Light distribution files

Bender Wirth: 498 Typ L8 HV

Published: 08/11/2023

1


SAMSUNG

LED LC003D / LC006D / LC009D / LC013D

Ordering code C18441_AMY-50-WAS

FWHM / FWTM Asymmetric
Efficiency 80 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:



Light distribution files


SAMSUNG

LED LC010C

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 82 %
Peak intensity 1.3 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:



Light distribution files

SAMSUNG


LED LC010T (Tunable White)
Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 1.2 cd/lm
LEDs/each optic 1

Light colour/type Tunable White

Required components:

C16142_HEKLA-SOCKET-K



Light distribution files

Bender Wirth: 501 Typ L8

Last update: 16/04/2025

Subject to change without prior notice

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

SAMSUNG

LED LC016D / LC019D / LC026D / LC033D

Ordering code CP19137_AMY-50-WAS-B2

FWHM / FWTM Asymmetric
Efficiency 80 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:

Light distribution files

BJB: 47.360.1010

SAMSUNG

LED LC020C G2

Ordering code CP19137_AMY-50-WAS-B2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour/type White

Required components:

Light distribution files

BJB: 47.360.1010


SAMSUNG

LED LC030C/040C G2

Ordering code CP19137_AMY-50-WAS-B2

FWHM / FWTM Asymmetric
Efficiency 82 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:

BJB: 47.360.1010






LED MJT COB LES 14.5

CP19128_AMY-50-WAS-C2 Ordering code

FWHM / FWTM Asymmetric Efficiency 82 % Peak intensity 0.8 cd/lm LEDs/each optic Light colour/type White Required components:

F15859_HEKLA-SOCKET-I



Light distribution files




MJT COB LES 6 LED

CP19128_AMY-50-WAS-C2 Ordering code

FWHM / FWTM Asymmetric Efficiency 86 % Peak intensity 1.3 cd/lm LEDs/each optic 1 Light colour/type White

Required components:

F15255_HEKLA-SOCKET-C



Light distribution files




MJT COB LES 9.8 LED

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric Efficiency 85 % Peak intensity 1 cd/lm LEDs/each optic White Light colour/type

Required components:

F15255_HEKLA-SOCKET-C



Light distribution files




XICATO

LED XOB 9.8 mm

Ordering code CP19128_AMY-50-WAS-C2

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour/type White
Required components:

Required components: F17435_HEKLA-G2-C



Light distribution files



PRODUCT DATASHEET AMY-50-WAS

GENERAL INFORMATION:

NOTE: The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value.

Due to use of high power COB's with this product, special attention to proper thermal design is highly recommended. LEDiL has no liability for direct, indirect or consecutive damages arising from the LEDiL products being used outside of the recommended temperature range.

MATERIALS:

As part of our continuous research and improvement processes, and to ensure the best possible quality and availability of our products, LEDiL reserves the right to change material grades without notice.

PRODUCT DATA USER AGREEMENT AND DISCLAIMER:

The measured data in the provided downloadable LEDiL Product Datasheets and Mechanical 2D-Drawings is rounded and provided as reference for planning. LEDiL Oy's optical specifications have been verified by conducting performance testing of the products in accordance with the company's quality system. The reported data are averaged results of multiple measurements with typical variation. LEDiL Oy reserves the right to without prior notification make changes and improvements to its products.

LEDiL Oy assumes neither warranty, nor guarantee nor any other liability of any kind for the contents and correctness of the provided data. The provided data has been generated with highest diligence but the provided data may in reality not represent the complete possible variation range of all intrinsic parameters. Therefore, in certain cases a deviation from the provided data could occur.

LEDiL Oy reserves the right to undertake technical changes of its products without further notification which could lead to changes in the provided data. LEDiL Oy assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

The user agrees to this disclaimer and user agreement with the download or usage of the provided files.

LEDIL Oy

Joensuunkatu 7 FI-24100 SALO Finland

LEDiL Inc.

228 West Page Street Suite D Sycamore IL 60178 USA

Ledil Optics Technology (Shenzhen) Co., Ltd.

405 , Block B Casic Motor Building Shenzhen 518057 P.R.CHINA

Local sales and technical support

www.ledil.com/ where_to_buy

Shipping locations

Poznan, Poland Hong Kong, China

Distribution Partners

21/21

www.ledil.com/ where_to_buy