DAISY-7X1-O-D

~25 + 70° oval beam. Variant with diffused lenses. Choose SHD with no lips or SHD2 with narrow lips and square openings. SHD3 with narrow lips and round openings.

SPECIFICATION:

Dimensions	279.5 x 39.6
Height	20.3 mm
Fastening	pin, screw
ROHS compliant	yes

MATERIALS:

Component	Type	Material	Colour	Finish	Length (mm)
C17540_DAISY-7X1-O-D	Linear lens	PMMA	milky		
L20015_DAISY-7X1-SHD2-MET-MATT	Shade	PC-ABS	metal	matt	
L20014_DAISY-7X1-SHD2-MET	Shade	PC	metal	gloss	
L20013_DAISY-7X1-SHD2-MATT-WHT	Shade	PC	white	matt	
L20012_DAISY-7X1-SHD2-WHT	Shade	PC	white	gloss	
L20011_DAISY-7X1-SHD2-MATT	Shade	PC-ABS	black	matt	
L20010_DAISY-7X1-SHD2	Shade	PC	black	gloss	
C19855_DAISY-7X1-SHD3-MATT-GLD	Shade	PC	gold	matt	
C19854_DAISY-7X1-SHD3-MATT-RED	Shade	PC	red	matt	
C19853_DAISY-7X1-SHD3-MATT-GR	Shade	PC	grey	matt	
C19852_DAISY-7X1-SHD-MATT-GLD	Shade	PC	gold	matt	
C19764_DAISY-7X1-SHD-MATT-GR	Shade	PC	grey	matt	
C19763_DAISY-7X1-SHD-MATT-RED	Shade	PC	red	matt	
C19642_DAISY-7X1-SHD3-MET-MATT	Shade	PC	metal	matt	
C19641_DAISY-7X1-SHD3-MET	Shade	PC	metal	gloss	
C19315_DAISY-7X1-SHD3-WHT-MATT	Shade	PC	white	matt	
C19314_DAISY-7X1-SHD3-WHT	Shade	PC	white	gloss	

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

C19313_DAISY-7X1-SHD3-MATT				
C19312_DAISY-7X1-SHD3	Shade	PC	black	gloss
C18409_DAISY-7X1-SHD-MET-MATT	Shade	PC	metal	matt
C18167_DAISY-7X1-SHD-MET	Shade	PC	metal	gloss
C17225_DAISY-7X1-SHD-WHT-MATT	Shade	PC	white	matt
C17051_DAISY-7X1-SHD-MATT	Shade	PC	black	matt
C16876_DAISY-7X1-SHD-WHT	Shade	PC	white	gloss
C16872_DAISY-7X1-SHD	Shade	PC	black	gloss

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

ORDERING INFORMATION:

Quantities for one set:

Linear lens	1
Shade	1

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

Component		Qty in box	MOQ	MPQ	Box weight (kg)
C17540_DAISY-7X1-O-D » Box size: 400 x 300 x 300 mm	Linear lens	312	312	24	7.0
L20010_DAISY-7X1-SHD2 » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.9
C19315_DAISY-7X1-SHD3-WHT-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.2
C16876_DAISY-7X1-SHD-WHT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.6
L20015_DAISY-7X1-SHD2-MET-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.6
C19852_DAISY-7X1-SHD-MATT-GLD » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.1
C18409_DAISY-7X1-SHD-MET-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.0
L20011_DAISY-7X1-SHD2-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.7
C19641_DAISY-7X1-SHD3-MET » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.1
C17051_DAISY-7X1-SHD-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.3
C19853_DAISY-7X1-SHD3-MATT-GR » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.1
C19312_DAISY-7X1-SHD3 » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.1
L20012_DAISY-7X1-SHD2-WHT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.2
C19642_DAISY-7X1-SHD3-MET-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	5.7
C17225_DAISY-7X1-SHD-WHT-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.6
C19854_DAISY-7X1-SHD3-MATT-RED » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.2
C19313_DAISY-7X1-SHD3-MATT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	5.8
L20013_DAISY-7X1-SHD2-MATT-WHT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.1
C19763_DAISY-7X1-SHD-MATT-RED » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.1

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

C19314_DAISY-7X1-SHD3-WHT » Box size: 595 x 360 x 230 mm	Shade	156	312	24	6.3
C16872_DAISY-7X1-SHD » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.1
L20014_DAISY-7X1-SHD2-MET » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.2
C19764_DAISY-7X1-SHD-MATT-GR » Box size: 595 x 360 x 230 mm	Shade	156	312	24	5.7
C18167_DAISY-7X1-SHD-MET » Box size: 595 x 360 x 230 mm	Shade	156	312	24	7.0

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.



CN17615_DAISY-7X1-O-D

COMPONENTS

INDEX	QTY.	PART	TYPE	MATERIAL	COLOR / COATING
1	1	C17540_DAISY-7X1-O-D	LENS	PMMA	DF21 Diffusive
2	1	SHD	SHADE		
		C16872_DAISY-7X1-SHD	SHADE	PC/ABS	BLACK/GLOSS
		C17051_DAISY-7X1-SHD-MATT	SHADE	PC/ABS	BLACK/MATT
		C16876_DAISY-7X1-SHD-WHT	SHADE	PC	WHITE/GLOSS
		C17225_DAISY-7X1-SHD-WHT-MATT	SHADE	PC	WHITE/MATT
		C18167_DAISY-7X1-SHD-MET	SHADE	PC	METAL/GLOSS
		C18409_DAISY-7X1-SHD-MET-MATT	SHADE	PC	METAL/MATT
		C19763_DAISY-7X1-SHD-MATT-RED	SHADE	PC	RED/MATT
		C19764_DAISY-7X1-SHD-MATT-GR	SHADE	PC	GREY/MATT
		C19852_DAISY-7X1-SHD-MATT-GLD	SHADE	PC	GOLD/MATT



CN17615_DAISY-7X1-O-D

COMPONENTS

INDEX	QTY.	PART	TYPE	MATERIAL	COLOR / COATING
1	1	C17540_DAISY-7X1-O-D	LENS	PMMA	DF21 Diffusive
2	1	SHD3	SHADE		
		C19312_DAISY-7X1-SHD3	SHADE	PC	BLACK/GLOSS
		C19313_DAISY-7X1-SHD3-MATT	SHADE	PC/ABS	BLACK/MATT
		C19314_DAISY-7X1-SHD3-WHT	SHADE	PC	WHITE/GLOSS
		C19315_DAISY-7X1-SHD3-WHT-MATT	SHADE	PC	WHITE/MATT
		C19641_DAISY-7X1-SHD3-MET	SHADE	PC	METAL/GLOSS
		C19642_DAISY-7X1-SHD3-MET-MATT	SHADE	PC/ABS	METAL/MATT
		C19853_DAISY-7X1-SHD3-MATT-GR	SHADE	PC	GREY/MATT
		C19854_DAISY-7X1-SHD3-MATT-RED	SHADE	PC	RED/MATT
		C19855_DAISY-7X1-SHD3-MATT-GLD	SHADE	PC	GOLD/MATT

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.



See also our general installation guide: www.ledil.com/installation_guide

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (MEASURED):

LED	LED Line SMD L28W2 TW Module 20mm 2800Lm Daisy 7
FWHM / FWTM	73.0 + 40.0° / 97.0 + 81.0°
Efficiency	64 %
Peak intensity	0.7 cd/lm
LEDs/each optic	2
Light colour/type	Tunable White
Required components:	
C17051_DAISY-7X1-SHD-MATT	



Light distribution files

LED	LED Line SMD L28W2 White Module 20mm 2800Lm Daisy
FWHM / FWTM	72.0 + 40.0° / 97.0 + 80.0°
Efficiency	64 %
Peak intensity	0.7 cd/lm
LEDs/each optic	2
Light colour/type	White
Required components:	
C17051_DAISY-7X1-SHD-MATT	





Light distribution files

LUMILEDS

LED	LUXEON HL2Z
FWHM / FWTM	72.0 + 40.0° / 97.0 + 81.0°
Efficiency	66 %
Peak intensity	0.7 cd/lm
LEDs/each optic	2
Light colour/type	White
Required components:	
C17051_DAISY-7X1-SHD-MATT	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (MEASURED):

MST Your solutions

LED	LinLED 274x24mm 1100lm 840 4C 42V DAISY-7X1 (ZT25
FWHM / FWTM	72.0 + 42.0° / 99.0 + 82.0°
Efficiency	70 %
Peak intensity	0.7 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C16872_DAISY-7X1-SHD	



Light distribution files

MST Your solutions

LED	LinLED 280x28mm 1600lm 840 4C 21V DAISY 7x1(ZT25)
FWHM / FWTM	75.0 + 43.0° / 97.0 + 83.0°
Efficiency	66 %
Peak intensity	0.7 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C16872_DAISY-7X1-SHD	



Light distribution files

NICHIA

LED	NCSxE17A
FWHM / FWTM	75.0 + 41.0° / 96.0 + 82.0°
Efficiency	64 %
Peak intensity	0.7 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C17051_DAISY-7X1-SHD-MATT	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (MEASURED):

SAMSUNG

LED	LH231B
FWHM / FWTM	72.0 + 47.0° / 104.0 + 100.0°
Efficiency	85 %
Peak intensity	0.7 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C16876_DAISY-7X1-SHD-WHT



Light distribution files

SAMSUNG

LED	LH231B
FWHM / FWTM	72.0 + 46.0° / 104.0 + 100.0°
Efficiency	86 %
Peak intensity	0.7 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C17225_DAISY-7X1-SHD-WHT-MATT



Light distribution files

SAMSUNG

LED	LH231B
FWHM / FWTM	69.0 + 46.0° / 101.0 + 94.0°
Efficiency	84 %
Peak intensity	0.8 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C17533_DAISY-7X1-SHD-MET-MATT



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (MEASURED):

SAMSUNG

LED	LH231B
FWHM / FWTM	70.0 + 43.0° / 99.0 + 84.0°
Efficiency	65 %
Peak intensity	0.7 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C16872_DAISY-7X1-SHD



Light distribution files

SAMSUNG

LED	LH231B
FWHM / FWTM	70.0 + 43.0° / 99.0 + 83.0°
Efficiency	65 %
Peak intensity	0.7 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C17051_DAISY-7X1-SHD-MATT



Light distribution files

SAMSUNG

LED	LH231B
FWHM / FWTM	68.0 + 47.0° / 100.0 + 93.0°
Efficiency	86 %
Peak intensity	0.8 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C18167_DAISY-7X1-SHD-MET



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

bridgelux

LED	CSP 2727 (BXCP)
FWHM / FWTM	66.0 + 43.0° / 96.0 + 78.0°
Efficiency	66 %
Peak intensity	0.8 cd/lm
LEDs/each optic	2
Light colour/type	White
Required components:	
C16872_DAISY-7X1-SHD	



Light distribution files

LUMILEDS

LED	LUXEON 2835 Line
FWHM / FWTM	68.0 + 41.0° / 96.0 + 77.0°
Efficiency	74 %
Peak intensity	0.9 cd/lm
LEDs/each optic	2
Light colour/type	White
Required components:	
C16872_DAISY-7X1-SHD	



Light distribution files

LUMILEDS

LED	LUXEON 5050 HE
FWHM / FWTM	74.0 + 42.0° / 94.0 + 74.0°
Efficiency	80 %
Peak intensity	0.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C17533_DAISY-7X1-SHD-MET-MATT	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

LUMILEDS

LED	LUXEON 5050 HE
FWHM / FWTM	74.0 + 40.0° / 94.0 + 72.0°
Efficiency	76 %
Peak intensity	0.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C17051_DAISY-7X1-SHD-MATT	



Light distribution files

LUMILEDS

LED	LUXEON HL2Z
FWHM / FWTM	68.0 + 42.0° / 96.0 + 78.0°
Efficiency	67 %
Peak intensity	0.8 cd/lm
LEDs/each optic	2
Light colour/type	White
Required components:	
C16872_DAISY-7X1-SHD	



Light distribution files

NICHIA

LED	NVSxE21A
FWHM / FWTM	68.0 + 40.0° / 96.0 + 78.0°
Efficiency	66 %
Peak intensity	0.8 cd/lm
LEDs/each optic	2
Light colour/type	White
Required components:	
C16872_DAISY-7X1-SHD	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

SAMSUNG

LED	LM28xB Series
FWHM / FWTM	71.0 + 46.0° / 96.0 + 80.0°
Efficiency	74 %
Peak intensity	0.8 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C17051_DAISY-7X1-SHD-MATT



Light distribution files

SAMSUNG

LED	LM28xB Series
FWHM / FWTM	70.0 + 44.0° / 96.0 + 80.0°
Efficiency	74 %
Peak intensity	0.8 cd/lm
LEDs/each optic	2
Light colour/type	White

Required components:
C16872_DAISY-7X1-SHD



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

GENERAL INFORMATION:

NOTE: The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value.

MATERIALS:

As part of our continuous research and improvement processes, and to ensure the best possible quality and availability of our products, LEDiL reserves the right to change material grades without notice.

PRODUCT DATA USER AGREEMENT AND DISCLAIMER:

The measured data in the provided downloadable LEDiL Product Datasheets and Mechanical 2D-Drawings is rounded and provided as reference for planning. LEDiL Oy's optical specifications have been verified by conducting performance testing of the products in accordance with the company's quality system. The reported data are averaged results of multiple measurements with typical variation. LEDiL Oy reserves the right to without prior notification make changes and improvements to its products.

LEDiL Oy assumes neither warranty, nor guarantee nor any other liability of any kind for the contents and correctness of the provided data. The provided data has been generated with highest diligence but the provided data may in reality not represent the complete possible variation range of all intrinsic parameters. Therefore, in certain cases a deviation from the provided data could occur.

LEDiL Oy reserves the right to undertake technical changes of its products without further notification which could lead to changes in the provided data. LEDiL Oy assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

The user agrees to this disclaimer and user agreement with the download or usage of the provided files.

LEDiL Oy
Joensuunkatu 7
FI-24240 SALO
Finland

LEDiL Inc.
228 West Page Street
Suite D
Sycamore IL 60178
USA

Ledil Optics Technology (Shenzhen) Co., Ltd.
405 , Block B
Casic Motor Building
Shenzhen 518057
P.R.CHINA

Local sales and technical support
www.ledil.com/where_to_buy

Shipping locations
Poznan, Poland
Hong Kong, China

Distribution Partners
www.ledil.com/where_to_buy

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.