KONNTAKT-1

KONNTAKT parts for HEKLA-KONNTAKT connectors. Two pieces are needed for one HEKLA-KONNTAKT.

SPECIFICATION:

Dimensions	5.9 x 11.5
Height	3.7 mm
Fastening	pin
ROHS compliant	yes

MATERIALS:

Component	Type	Material	Colour	Finish	Length (mm)

ORDERING INFORMATION:

Component	Qty in box	MOQ	MPQ	Box weight (kg)
L20740_KONNTAKT-1	5000	500	500	2.1
» Box size: 285 x 190 x 205 mm				

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

REV	DATE
001	04.03.2026





use only from one side



PART	MATERIAL	COLOR / COATING
L20740_KONNTAKT-1	PBT	White

MECHANICAL DRAWING

PRODUCT KONNTAKT

LEDiL

Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.

FIRST ANGLE PROJECTION:

This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.

SCALE 4:1 | WEIGHT 0,34 g | A4 SHEET 1/1

See also our general installation guide: www.ledil.com/installation_guide

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

AVAILABLE LEDiL PRODUCTS:

Product name	Description
F14738_BROOKE-G2-S	~20° spot beam compatible with LEDiL HEKLA.
F14739_BROOKE-G2-M	~30° medium beam compatible with LEDiL HEKLA.
F14740_BROOKE-G2-W	~50° wide beam compatible with LEDiL HEKLA.
FP15072_ZORYA-SC-C	~340° omnidirectional decorative beam. Assembly with HEKLA adapter.
FN15966_RONDA-WWW-C	~90° wide beam with holder C compatible with LEDiL HEKLA
FN15968_RONDA-WW-C	~60° wide beam with holder C compatible with LEDiL HEKLA
FN15969_RONDA-W-C	~45° wide beam with holder C compatible with LEDiL HEKLA
FN15970_RONDA-S-C	~25° spot beam with holder C compatible with LEDiL HEKLA
FN15971_RONDA-WAS-C	Asymmetric beam for wall washing with holder C compatible with LEDiL HEKLA
FN15972_RONDA-ZT45-C	Double asymmetric beam for wall-washing and aisle lighting with holder C compatible with LEDiL HEKLA
FN15973_RONDA-REC-60-C	~60° + 60° rectangular beam with holder C compatible with LEDiL HEKLA
FN15974_RONDA-REC-90-C	~80° rectangular beam with holder C compatible with LEDiL HEKLA
FN15975_RONDA-WAS2-C	Asymmetric wall washing beam ideal for floor installations with holder C compatible with LEDiL HEKLA
FN15998_RONDA-O-C	~50° + 30° oval beam with holder C compatible with LEDiL HEKLA
F16363_BARBARA-G2-S	~12° spot beam compatible with LEDiL HEKLA
F16364_BARBARA-G2-M	~25° wide beam compatible with LEDiL HEKLA
F16365_BARBARA-G2-W	~40° wide beam compatible with LEDiL HEKLA
F16366_BARBARA-G2-WW	~60° wide beam compatible with LEDiL HEKLA
C16686_ILONA-RS	~10° spot beam
C16687_ILONA-M	~25° wide beam
C16688_ILONA-W	~35° wide beam
C16731_ILONA-SS	~14° smooth spot beam
CN17297_ILONA-ZOOM	An infinitely adjustable beam from 13 to 48 degrees.
C17434_ILONA-WW	~55° wide beam
CN18895_ADELY-50-S	~15° spot beam

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

CN18897_ADELY-50-W	~36° wide beam
CN18898_ADELY-50-WW	~50° wide beam
CN18920_ADELY-70-S	~15° spot beam
CN18921_ADELY-70-M	~24° medium beam
CN18922_ADELY-70-W	~36° wide beam
CN18923_ADELY-70-WW	~55° wide beam
MBO19199_YASMEEN-70-S	~15° spot beam
MBO19224_YASMEEN-70-M	~26° wide beam
MBO19225_YASMEEN-70-W	~36° wide beam
MBO19226_YASMEEN-70-WW	~60° wide beam
MBO19227_YASMEEN-70-WWW	~80° wide beam. Assembly with holder C (LEDiL HEKLA) and B (BJB and B+W). Black and white versions.

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

AVAILABLE LEDiL PRODUCTS:

Product name	Description
MBO19228_YASMEEN-70-RS	~10° spot beam
MBO19229_YASMEEN-70-ZOOM	Infinitely adjustable beam from 15 to 45 degrees
MBO19254_YASMEEN-50-S	~15° spot beam
MBO19255_YASMEEN-50-M	~26° medium beam
MBO19256_YASMEEN-50-W	~36° wide beam
MBO19257_YASMEEN-50-WW	~60° wide beam
MBO19258_YASMEEN-50-ZOOM	Infinitely adjustable beam from 15 to 45 degrees
MBO19263_AMY-110-S	~18° spot beam
MBO19264_AMY-110-M	~24° medium beam
MBO19265_AMY-110-W	~36° wide beam
MBO19266_AMY-110-WW	~60° wide beam
MBO19267_AMY-70-S	~18° spot beam
MBO19268_AMY-70-M	~24° medium beam
MBO19269_AMY-70-W	~36° wide beam
MBO19270_AMY-70-WW	~60° wide beam
MBO19271_AMY-70-O	~25 + 60° oval beam
MBO19272_AMY-70-RS	~13° spot beam with tight cutoff
MBO19273_AMY-70-WAS	Asymmetric beam for wall-washing
MBO19274_AMY-70-ZOOM	Infinitely adjustable beam from 20 to 50 degrees
MBO19275_AMY-50-S2	~15° spot beam with soft cutoff
MBO19276_AMY-50-S	~18° spot beam
MBO19277_AMY-50-M	~24° medium beam
MBO19279_AMY-50-WW	~60° wide beam
MBO19280_AMY-50-O	~20 + 50° oval beam
MBO19281_AMY-50-RS	~15° spot beam with tight cutoff
MBO19282_AMY-50-ZOOM	Infinitely adjustable beam from 20 to 50 degrees
MBO19283_AMY-50-WAS	Asymmetric beam for wall-washing
MBO19722_AMY-50-WWW	~80° wide beam
MBO19736_AMY-70-WWW	~80° wide beam
MBO19742_AMY-110-WWW	~80° wide beam

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

MBO19790_AMY-110-WAS	Asymmetric beam for wall-washing
MBO19934_YASMEEN-70-FR-S	~5° ultra-narrow spot beam
MBO19935_YASMEEN-50-FR-S	~6° ultra-narrow spot beam
MBO20295_AMY-110-O	~25 + 60° oval beam
L20675_HEKLA-KONNTAKT-C	Version compatible with COBs of 13.5 x 13.5 mm packages
L20752_HEKLA-KONNTAKT-I	Version compatible with COBs of 19 x 19 mm packages
L20758_HEKLA-KONNTAKT-C2	Version compatible with COBs of 13.5 x 13.5 mm packages
L20759_HEKLA-KONNTAKT-C3	Version compatible with COBs of 13.5 x 13.5 mm packages
L20760_HEKLA-KONNTAKT-I2	Version compatible with COBs of 19 x 19 mm packages
L20761_HEKLA-KONNTAKT-I3	Version compatible with COBs of 19 x 19 mm packages
L20762_HEKLA-KONNTAKT-A	Version compatible with COBs of 12.5 x 12.5 mm packages

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

GENERAL INFORMATION:

NOTE: The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value.

MATERIALS:

As part of our continuous research and improvement processes, and to ensure the best possible quality and availability of our products, LEDiL reserves the right to change material grades without notice.

PRODUCT DATA USER AGREEMENT AND DISCLAIMER:

The measured data in the provided downloadable LEDiL Product Datasheets and Mechanical 2D-Drawings is rounded and provided as reference for planning. LEDiL Oy's optical specifications have been verified by conducting performance testing of the products in accordance with the company's quality system. The reported data are averaged results of multiple measurements with typical variation. LEDiL Oy reserves the right to without prior notification make changes and improvements to its products.

LEDiL Oy assumes neither warranty, nor guarantee nor any other liability of any kind for the contents and correctness of the provided data. The provided data has been generated with highest diligence but the provided data may in reality not represent the complete possible variation range of all intrinsic parameters. Therefore, in certain cases a deviation from the provided data could occur.

LEDiL Oy reserves the right to undertake technical changes of its products without further notification which could lead to changes in the provided data. LEDiL Oy assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

The user agrees to this disclaimer and user agreement with the download or usage of the provided files.

LEDiL Oy
Joensuunkatu 7
FI-24100 SALO
Finland

LEDiL Inc.
228 West Page Street
Suite D
Sycamore IL 60178
USA

Ledil Optics Technology (Shenzhen) Co., Ltd.
405 , Block B
Casic Motor Building
Shenzhen 518057
P.R.CHINA

Local sales and technical support
www.ledil.com/
where_to_buy

Shipping locations
Poznan, Poland
Hong Kong, China

Distribution Partners
www.ledil.com/
where_to_buy

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.