

7.58 ±0.1 (2)  
8.89 ±0.2 (8)

1.75 ±0.15 (3)

37.85 ±0.3 (7)

Section view A-A  
Scale: 2:1

8.55 ±0.2 (30)

1.95 ±0.1 (31)

Section view D-D  
Scale: 2:1

5 ±0.1 (28)

Auxiliary view C  
Scale: 1:1

39.76 ±0.15 (35)

279.9 ±0.4 / each pin distance (36)

1120.16 ±2 (23)

24 (24)

A


PART	TYPE	COUNT	MATERIAL	COLOR / COATING
C19462_LIANNA-2R-110-L4_001_MechanicalModel_001	LENS	1	PMMA	CLEAR

MECHANICAL DRAWING

PRODUCT  
LIANNA

Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing.  
Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.

FIRST ANGLE PROJECTION:



SCALE 1:2


WEIGHT 160g

LEDiL

This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.


A3 SHEET 1/1



Notes
PCB or heatsink level.
LED location
Ensure LED fitting from a product specific 3D model available from <a href="http://www.ledil.com">www.ledil.com</a>
For more details about installation please see LEDiL Installation Guide on <a href="http://www.ledil.com">www.ledil.com</a>




REV	DATE
002	23.04.2025

PART	TYPE	COUNT	MATERIAL	COLOR / COATING
C19463_LIANNA-2R-110-L5_001_MechanicalModel_001	LENS	1	PMMA	CLEAR


MECHANICAL DRAWING		LEDiL
PRODUCT LIANNA		
Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.	FIRST ANGLE PROJECTION: 	This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.
SCALE 1:2	WEIGHT 200g	A3 SHEET 1/1



Notes	
	PCB or heatsink level.
	LED location
Ensure LED fitting from a product specific 3D model available from <a href="http://www.ledil.com">www.ledil.com</a>	
For more details about installation please see LEDiL Installation Guide on <a href="http://www.ledil.com">www.ledil.com</a>	




REV	DATE
002	23.04.2025

PART	TYPE	COUNT	MATERIAL	COLOR / COATING
C19464_LIANNA-2R-110-L6_001_MechanicalModel_001	LENS	1	PMMA	CLEAR

MECHANICAL DRAWING		LEDiL
PRODUCT LIANNA		
Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.	FIRST ANGLE PROJECTION: 	This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.
SCALE 1 : 1	WEIGHT 239 g	A3 SHEET 1 / 1

Notes	
	PCB or heatsink level.
	LED location
Ensure LED fitting from a product specific 3D model available from <a href="http://www.ledil.com">www.ledil.com</a>	
For more details about installation please see LEDiL Installation Guide on <a href="http://www.ledil.com">www.ledil.com</a>	




REV	DATE
002	23.04.2025

Lianna Reference Aluminium Profile 1.6mm

Lianna Reference Aluminium Profile 1mm

PART	TYPE	COUNT	MATERIAL	COLOR / COATING
LIANNA REFERENCE ALUMINIUM PROFILE				

MECHANICAL DRAWING		LEDiL
PRODUCT LIANNA		
Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.	FIRST ANGLE PROJECTION: 	This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.
SCALE 2:1	WEIGHT	A3 SHEET 1/1

Notes	
	PCB or heatsink level.
	LED location
Ensure LED fitting from a product specific 3D model available from <a href="http://www.ledil.com">www.ledil.com</a>	
For more details about installation please see LEDiL Installation Guide on <a href="http://www.ledil.com">www.ledil.com</a>	