
LEDiL














Illuminate with elegance















COB 4-22 mi

ь .



The information contained herein is the property of LEDiL Oy, Joensuunkatu 7, FI-24100 SALO, Finland, and is subject to change without prior notice. Please visit www. ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping.



Redefining linear lighting excellence

LIANNA

Best efficacy | Best BOM | Best power range | Low UGR | 1P65 | Up to 8 ft





typ. FWHM:



typ. FWHM:



typ. FWHM:





typ. FWHM:









Premium Dark Light

for unobtrusive, discreet lighting designs

BRIANNA


Beautiful Bright Light

for comfortable lighting from any angle

Low UGR | Human centric lighting | The same platform














typ. FWHM: 35°













typ. FWHM: asymm.

-ZT25



typ. FWHM:





typ. FWHM:

XXX = 1X1, 4X1, 7X1, 8X1, 14X1, 28X1 or 2X2

typ. FWHM: 80°

Easy and cost-efficient lens fastening SOLDER-CLIP-2



No shelf-time limit

Can be stored indefinitely without degradation.

Simple installation

Just press in place. Chemical-free installations.

Precision

Ensure precise lens alignment and positioning.

Automation-ready

Allow usage of pick-and-place machines.

Cost-effective

Save time and money in production.

Secure

Tested according to IEC 60598-1:2014 for rough-service luminaires.



Optimised for automated assembly, designed for versatility and efficiency

SPORT-SQ-SC2



SPORT family

Game changing, low glare optic for all types of sports lighting



SQ-SC2 | 30 x 30 mm



● IP-24 | 173 x 71.4 mm



























The information contained herein is the property of LEDiL Oy, Joensuunkatu 7, FI-24100 SALO, Finland, and is subject to change without prior notice. Please visit www ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping.





STRADA-2X3-5050


Versatile and cost efficient lenses for 5050 LEDs



50 x 50 mm 5050 3535















Limitless colours and endless possibilities for robust outdoor lighting




Go to www.ledil.com for LED specific values and product datasheets

Highly powerful and efficient linear platform



Extremely precise elliptical beam for wide coverage and reach



321 x 81 mm

high-power LEDs



321 x 81 mm

3535



Subscribe to LEDiL newsletter to get latest news about product launches and reference cases www.ledil.com/subscribe



www.ledil.com

Ledil Oy (Headquarters) Joensuunkatu 7 FI-24100 SALO Finland Ledil Inc. 228 West Page Street Suite D Sycamore IL 60178 USA LEDiL Optics Technology (Shenzhen) Ltd. #405, Block B, ShenZhen Casic Motor Building,

No.7 LangShan #2 Road, Hi-Tech Ind. Park(N.), Nanshan District, Shenzhen, 518057,

P.R.China

Local sales and technical support: www.ledil.com/contacts
Distribution Partners: www.ledil.com/contacts/distributors
Shipping locations: Salo, Finland and Hong Kong, China