



Leading the way in ultra-narrow spots

YASMEEN-FR-S

First SPORT optic for 7070 LEDs

SPORT-SQ-SC2

Redefining linear lighting excellence

LIANNA

Brightness without glare

STRADA-2X2R

Enhancing downlights with soft uplight

ULLA

Tailored for American lighting markets

STRADA-IP-8MXS

Ignite the night with colours

SEE PAGES 10-11

Easy and cost-efficient lens fastening


SOLDER-CLIP-2

Leading the way in ultra-narrow spots

YASMEEN-FR-S



Read more



Ø 50 & 70


COB 2.8-10 mm

Patent pending


HEKLA-SOCKET-RZ

Effortless entry to the RGBW world

Compatible with YASMEEN and AMY



Read more



Read more

3030

2835


Ø 70

Enhancing downlights with soft uplight

ULLA













AMY



Illuminate with

elegance



COB 4-22 mm

Read more






Redefining linear lighting excellence

LIANNA

Best efficacy | Best BOM | Best power range | Low UGR | IP65 | Up to 8 ft



3030
2835
Patent pending



FWHM angles, efficiencies and cd/lm values contained herein are typical values. Actual measured values depend of the specific LED/optic combination. Go to www.ledil.com for LED specific values and product datasheets.

3030

2835


Read more about DAISY

DAISY
Premium Dark Light
for unobtrusive, discreet lighting designs

Read more about BRIANNA

BRIANNA
Beautiful Bright Light
for comfortable lighting from any angle

Low UGR | Human centric lighting | The same platform



DAISY

XXX-W typ. FWHM: 50°	XXX-WW typ. FWHM: 80°	7X1/8X1 /14X1-M typ. FWHM: 35°	7X1/14X1 -W2 typ. FWHM: 50°	7X1/14X1 -O typ. FWHM: 25 + 70°	7X1/ 14X1 -BW typ. FWHM: asymm.	7X1/ 14X1 -ZT25 typ. FWHM: asymm.	7X1-WA5 typ. FWHM: asymm.	7X1/14X1 -FT-D typ. FWHM: asymm.
--------------------------------	---------------------------------	--	---------------------------------------	---	---	---	-------------------------------------	--

XXX = 1X1, 4X1, 7X1, 8X1, 14X1, 28X1 or 2X2

BRIANNA

XX-W typ. FWHM: 60°	XX-WW typ. FWHM: 74°
-------------------------------	--------------------------------

NEW

The information contained herein is the property of LEDiL Oy, Joensuukatu 7, FI-24100 SALO, Finland, and is subject to change without prior notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping.

Easy and cost-efficient lens fastening SOLDER-CLIP-2



Read more about
SOLDER-CLIP-2



No shelf-time limit

Can be stored indefinitely without degradation.

Simple installation

Just press in place. Chemical-free installations.

Precision

Ensure precise lens alignment and positioning.

Automation-ready

Allow usage of pick-and-place machines.

Cost-effective

Save time and money in production.

Secure

Tested according to IEC 60598-1:2014
for rough-service luminaires.

Read more about


SPORT-SQ



Optimised for automated assembly,
designed for versatility and efficiency

SPORT-SQ-SC2

First SPORT optic for 7070 LEDs



SPORT family

Game changing,
low glare optic for all
types of sports lighting



SQ-SC2 | 30 x 30 mm
7070 5050


2X2 | 50 x 50 mm
3535 5050

IP-24 | 173 x 71.4 mm
5050

Read more about
SPORT-2X2



Read more about
SPORT-IP-24




STRADA

2X2R

BRIGHTNESS WITHOUT GLARE

Patent pending




Luminous intensity class
G6
TI < 2 %

Performance | Safety



See the beauty,
not the glare.

Comfort | Atmosphere



Visual comfort
and clarity.

Visibility | Focus




DARK-SKY
friendly

Read more



STRADA-2X2R

Traditional lens



STRADA

8MXS






90 x 90 mm

5050

3535

More reach, High LPW –
Tailored for American lighting markets



STRADA-2X3-5050





Versatile and cost efficient
lenses for 5050 LEDs



50 x 50 mm

5050

3535




IGNITE THE NIGHT

WITH COLOURS




VERONICA-MAXI

Limitless colours and endless possibilities for robust outdoor lighting



A cluster of up to 7 of any colour LEDs!



Read more

Ø48 mm

7070


3535

cluster max Ø8.2 mm



DAHLIA

Highly powerful and efficient linear platform



321 x 81 mm


3535

Read more



CORAL

Extremely precise elliptical beam for wide coverage and reach



321 x 81 mm

single and clustered high-power LEDs

Read more

LEDiL

perfecting light

Subscribe to LEDiL newsletter to get latest news
about product launches and reference cases
www.ledil.com/subscribe



www.ledil.com

Ledil Oy
(Headquarters)
Joensuunkatu 7
FI-24100 SALO
Finland

Ledil Inc.
228 West Page
Street Suite D
Sycamore IL 60178
USA

LEDiL Optics Technology (Shenzhen) Ltd.
#405, Block B, ShenZhen Casic Motor Building,
No.7 LangShan #2 Road, Hi-Tech Ind. Park(N.),
Nanshan District, Shenzhen, 518057,
P.R.China

Local sales and technical support: www.ledil.com/contacts

Distribution Partners: www.ledil.com/contacts/distributors

Shipping locations: Salo, Finland and Hong Kong, China