



Gehäusetyp: Housing:	<b>Hekla</b>	Größe / Size : 44/50 mm Höhe / Height : 5,5 mm
-------------------------	--------------	---




Beispiele für passende Optiken examples of suitable optics	<b>LEDiL BARBARA-G2, MIRELLA-G2, BROOKE-G2</b> <b>LEDiL CARMEN 50/70/90, ZORYA, ILONA</b> <b>LEDiL RONDA-C, WINNIE-C</b>
---	--

633a/47495 ( 2 : 1 ) Version 1: 633x, 634x, 637x, 638x, 641x, 652x, 660x

Version 2: 631x, 632x, 639x, 663x

HEKLA XL Housing will be available soon

<b>Bemessungsspannung</b> rated voltage <b>Bemessungsstrom</b> rated current <b>Bemessungstemperatur</b> rated operating temperature <b>Befestigung</b> fixing <b>max. Drehmoment</b> max. torque <b>Material des Halters</b> material of the holder <b>Kontaktmaterial</b> contactmaterial	<b>Standard 250V DC</b> optional 450V DC  <b>5 A</b>  <b>T 120</b>  <b>2 Schrauben M3</b> 2 screws M3  <b>0,5 Nm</b>  <b>PBT / Mikanit</b> PBT / Mica <b>CuSn</b> CuSn	<b>Zulässige COB Abmessungen</b> Permissible COB dimensions   <p>siehe Einzeldatenblätter im Online Katalog see data sheets at our web catalogue</p>
		<b>Zertifikate / certificates</b>   <b>Ausweis-Nr.</b>  <b>File E472</b>

Weitere technische Daten und Montagehinweise sind im [Technical Guide COB Halterserie 630](#) enthalten.  
 Further technical details and mounting instructions are part of the [Technical Guide COB holder series 630](#).

Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:				
Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder	
Bridgelux	V4 HD	<b>47928</b>	COB Holder Hybrid 660a	Hekla
Bridgelux	V6 HD	<b>47868</b>	COB Holder Hybrid 634c	Hekla
Bridgelux	V9 HD	<b>47561</b>	COB Holder Hybrid 633d	Hekla
Bridgelux	V6 / V8 / V8 Gen7	<b>47928</b>	COB Holder Hybrid 660a	Hekla
Bridgelux	V10 / V13 Gen 6	<b>47886</b>	COB Holder Hybrid 641b	Hekla
Bridgelux	V10 Gen7	<b>47864</b>	COB Holder Hybrid 634b	Hekla
Bridgelux	V13 Gen7	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Bridgelux	V18 Gen7	<b>XXX</b>	COB Holder Hybrid 639b	Hekla
Bridgelux	V22 / V22 Gen7	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
Citizen	CLU 028 / 029 / 02J	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Citizen	CLU 038 / 039 / 03H / 03J	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Citizen	CLU 048 / 049 / 04H / 04J	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
Citizen	CLU 701 / 702 / 7A2 / 7B2	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Citizen	CLU 711	<b>47559</b>	COB Holder Hybrid 633b	Hekla
Citizen	CLU 712	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Citizen	CLU 721	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Citizen	CLU 731	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
CREE	CMA 1303 / 1306	<b>47868</b>	COB Holder Hybrid 634c	Hekla
CREE	CMA 1516	<b>47510</b>	COB Holder Hybrid 641a	Hekla
CREE	CMA 1825 / 1840	<b>47509</b>	COB Holder Hybrid 637a	Hekla
CREE	CMA 2550	<b>XXX</b>	COB Holder Hybrid 639a	Hekla
CREE	CMT 1407 / 1412 / 1420	<b>47505</b>	COB Holder Hybrid 634a	Hekla
CREE	CMT 1922 / 1925 / 1930 / 1945	<b>47560</b>	COB Holder Hybrid 633c	Hekla
CREE	CMT 2850 / 2870 / 2890	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
CREE	CXA/B 1304 / 1310	<b>47868</b>	COB Holder Hybrid 634c	Hekla
CREE	CXA/B 1507 / 1510	<b>47510</b>	COB Holder Hybrid 641a	Hekla
CREE	CXA/B 1512 / 1520	<b>47510</b>	COB Holder Hybrid 641a	Hekla
CREE	CXA/B 1816 / 1820	<b>47509</b>	COB Holder Hybrid 637a	Hekla
CREE	CXA/B 1830	<b>47872</b>	COB Holder Hybrid 637b	Hekla
CREE	CXA 1850	<b>47509</b>	COB Holder Hybrid 637a	Hekla
CREE	CXA 2520 / 2590	<b>XXX</b>	COB Holder Hybrid 639a	Hekla
CREE	CXA/B 2530 / 2540	<b>XXX</b>	COB Holder Hybrid 639a	Hekla
Edison	HM 03 / 06 / 09 / 13	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Edison	HM 15 / 18 / 24 / 30	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Edison	HM 33 / 36 / 55 / 60 / 83	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
Lextar	PB06H09	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Lextar	PB09H01	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Lextar	PB13H01	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Lextar	PB16H01	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Lextar	PB19H01	<b>47495</b>	COB Holder Hybrid 633a	Hekla

Lextar	PB26H01	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Lextar	PB38H01	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
LG	7W L-COB G1	<b>47889</b>	COB Holder Hybrid 652a	Hekla
LG	10W L-COB G1	<b>47878</b>	COB Holder Hybrid 638b	Hekla
LG	16W / 21W L-COB G1	<b>XXX</b>	COB Holder Hybrid 632a	Hekla
LG	32W L-COB G1	<b>XXX</b>	COB Holder Hybrid 632a	Hekla
LG	42W L-COB G1	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
LG	56W L-COB G1	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
LG	6W / 9W / 12W L-COB G2	<b>47505</b>	COB Holder Hybrid 634a	Hekla
LG	15W/18W/25W/30W L-COB G2	<b>47495</b>	COB Holder Hybrid 633a	Hekla
LG	34W / 37W / 55W L-COB G2	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
LG	12W F-COB G1	<b>47505</b>	COB Holder Hybrid 634a	Hekla
LG	25W / 30W F-COB G1	<b>47495</b>	COB Holder Hybrid 633a	Hekla
LG	40W / 83W F-COB G1	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
Lumileds	Luxeon 1202s / 1202HD	<b>47889</b>	COB Holder Hybrid 652a	Hekla
Lumileds	Luxeon 1202 / 1203 / 1204HD	<b>47878</b>	COB Holder Hybrid 638b	Hekla
Lumileds	Luxeon 1205HD	<b>47878</b>	COB Holder Hybrid 638b	Hekla
Lumileds	Luxeon 1204 / 1205	<b>XXX</b>	COB Holder Hybrid 632a	Hekla
Lumileds	Luxeon 1208	<b>XXX</b>	COB Holder Hybrid 632a	Hekla
Lumileds	Luxeon 1211	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
Lumileds	Luxeon 1216 / 1812	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
Luminus	CXM-3-AC / CXM-4-AC	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Luminus	CHM-6-XH / CXM-6-AC	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Luminus	CIM/CLM/CXM-9-AC	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Luminus	CHM-9-XH	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Luminus	CHM-11-XH / CXM-11-AC	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Luminus	CGM/CIM/CLM/CVM/CXM-14-AC	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Luminus	CHM-14-XH20	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
Luminus	CGM/CIM/CLM/CXM-22-AC	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
Luxtech	COB-WD-10-1512	<b>48024</b>	COB Holder Hybrid 652c	Hekla
Luxtech	COB-WD-17-2420	<b>XXX</b>	COB Holder Hybrid 632a	Hekla
Nichia	NV..S007Z / NT..T012B	<b>47889</b>	COB Holder Hybrid 652a	Hekla
Nichia	NT..S024B / NJ..S024Z	<b>47889</b>	COB Holder Hybrid 652a	Hekla
Nichia	NV..L016Z / NF..L036B	<b>47875</b>	COB Holder Hybrid 638a	Hekla
Nichia	NV..L024Z / NF..L048B	<b>47875</b>	COB Holder Hybrid 638a	Hekla
Nichia	NF..L060B / NF..L072B	<b>47875</b>	COB Holder Hybrid 638a	Hekla
Nichia	NV..J048Z / NF..D084B	<b>XXX</b>	COB Holder Hybrid 663a	Hekla
Nichia	NF..D096B / NF..J108B	<b>XXX</b>	COB Holder Hybrid 663a	Hekla
Nichia	NF..J120B / NF..J130B	<b>XXX</b>	COB Holder Hybrid 663a	Hekla
Osram OS	Solericq S9	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Osram OS	Solericq S13	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Osram OS	Solericq S15	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Osram OS	Solericq S19	<b>XXX</b>	COB Holder Hybrid 639b	Hekla

Prolight Opto	PACJ	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Prolight Opto	PACK	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Prolight Opto	PACL	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
Prolight Opto	PASQ DimToWarm	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Prolight Opto	PDSQ DimToWarm	<b>47892</b>	COB Holder Hybrid 652b	Hekla
Prolight Opto	PDSR DimToWarm	<b>XXX</b>	COB Holder Hybrid 632b	Hekla
Samsung	LC 010C Gen2	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Samsung	LC 020C / 030C / 040C Gen2	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Samsung	LC 003D / 006D	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Samsung	LC 009D / 013D	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Samsung	LC 016D / 019D	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Samsung	LC 026D / 033D	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Samsung	LC 040D / 060D / 080D	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
Seoul	SAW* 0661	<b>47864</b>	COB Holder Hybrid 634b	Hekla
Seoul	SAW* 1062 / 1063	<b>47864</b>	COB Holder Hybrid 634b	Hekla
Seoul	SAW* 1564 / 1565 / 1566	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Seoul	SAW* 22AA / 2296 / 2298	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
Tridonic	SLE G7 LES 9	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Tridonic	SLE G7 LES 13	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Tridonic	SLE G7 LES 15	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Tridonic	SLE G1 LES11 Suns. DTW	<b>47560</b>	COB Holder Hybrid 633c	Hekla
Tridonic	SLE G1 LES15 Suns. DTW	<b>47560</b>	COB Holder Hybrid 633c	Hekla
VS Lighting	DMS 102 ***W	<b>47505</b>	COB Holder Hybrid 634a	Hekla
VS Lighting	DMS 124 ***W	<b>47505</b>	COB Holder Hybrid 634a	Hekla
VS Lighting	DMS 125 / 126 / 128 ***W	<b>47495</b>	COB Holder Hybrid 633a	Hekla
VS Lighting	DMS 120 ***W	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
VS Lighting	DMS 12C / 18B ***W	<b>XXX</b>	COB Holder Hybrid 631a	Hekla
VS Lighting	VCA 102	<b>47864</b>	COB Holder Hybrid 634b	Hekla
VS Lighting	VCA 123	<b>47864</b>	COB Holder Hybrid 634b	Hekla
VS Lighting	VCA 125 / 127	<b>47560</b>	COB Holder Hybrid 633c	Hekla
VS Lighting	VCA 1210	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
VS Lighting	VCA 1212	<b>XXX</b>	COB Holder Hybrid 631b	Hekla
VS Lighting	WU-M-618 DimToWarm	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Xicato	XOB 09	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Xicato	XOB 14	<b>47495</b>	COB Holder Hybrid 633a	Hekla
Xicato	XOB 23	<b>XXX</b>	COB Holder Hybrid 631a	Hekla

**Die Informationen in diesem Dokument sind ohne Gewähr und können ohne Vorankündigung geändert werden.**  
 The information in this document is provided without liability and subject to change without notice.