LEDiL®

HEKLA Compatibility

Manufacturer	LED	Dimensions (mm)	LES diameter (mm)	Solderless connectors					Sockets												
				F17435_HEKLA-G2-C	F17436_HEKLA-G2-D	F17437_HEKLA-G2-H	F17438_HEKLA-G2-I	F17439_HEKLA-G2-J	F15253_HEKLA-SOCKET-A	F15254_HEKLA-SOCKET-B	F15255_HEKLA-SOCKET-C	F15256_HEKLA-SOCKET-D	F14988_HEKLA-SOCKET-E	F15616_HEKLA-SOCKET-F	F15848_HEKLA-SOCKET-G	F15858_HEKLA-SOCKET-H	F15859_HEKLA-SOCKET-I	F15956_HEKLA-SOCKET-J	C16142_HEKLA-SOCKET-K	C16142_HEKLA-SOCKET-K and B+W 4xx Typ L8	Bender & Wirth Hybrid 630 Hekla / Hekla XL
Bridgelux	VERO10	20 x 20 x 1.8	9.9										•								
	VERO13	36.2 x 1.8	13.2															•			
	VERO18	36.2 x 1.8	18.4															•			
	V8 Gen7	12.5 x 12.5 x 1	8.1						•										•	•	
	V10 Gen7	13.5 x 13.5 x 1	10.2								•								•	•	
	V13 Gen7	19 x 19 x 1	14.0				•									•			•	•	
	V18 Gen7	24 x 24 x 1	19.2																•	•	
	V4 HD	12.5 x 12.5 x 0.98	5.2						•										•	•	
	V6 HD	13.5 x 13.5 x 0.98	7.0								•								•	•	
	V9 HD	19 x 19 x 0.98	9.2													•			•	•	
	Vesta® Series Tunable White Array 9mm (12W) CSP	15.85 x 15.85 x 1.07	9.0																•		
	Vesta® Series Tunable White Array 13mm (25W) CSP	18.8 x 18.8 x 1.09	13.0																•		
	Vesta® Series Tunable White 9mm (9W) Array DP	15.9 x 15.9 x 1	9.4																•		
	Vesta® Series Tunable White 13mm Array (18W) DP	18.8 x 18.8 x 1	14.0																•		
	Vesta® Series Dim-To-Warm Array 9mm (4W)	15 x 12 x 1	9.3																•	•	
	Vesta® Series Dim-To-Warm Array 9mm (6W)	15 x 12 x 0.96	9.3																•	•	
	Vesta® Series Dim-To-Warm Array 9mm (12W)	15 x 12 x 0.96	9.3																•	•	
	Vesta® Series Dim-To-Warm Array 13mm (21W)	20 x 24 x 1	14.0																•	•	
	Vesta™ Series Dim-To-Warm Array 15mm (33W)	20 x 24 x 0.96	16.7																•	•	
	Vesta® Series Tunable White Gen 2 9mm Array	15.9 x 15.9 x 1	10.0																•		
	Vesta® Series Tunable White Gen 2 13mm Array	18.8 x 18.8 x 1	14.2																•		
	Vesta® Series Tunable White Gen 2 15mm Array	21 x 21 x 1	16.3																•		
	Vesta® Series Tunable White Gen 2 18mm Array	24 x 24 x 1	19.7																•		

The information contained herein is the property of LEDiL Oy, Joensuunkatu 13, FI-24100 SALO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL® is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.

LEDiL®

HEKLA Compatibility

Manufacturer	LED	Dimensions (mm)	LES diameter (mm)	Solderless connectors					Sockets												
				F17435_HEKLA-G2-C	F17436_HEKLA-G2-D	F17437_HEKLA-G2-H	F17438_HEKLA-G2-I	F17439_HEKLA-G2-J	F15253_HEKLA-SOCKET-A	F15254_HEKLA-SOCKET-B	F15255_HEKLA-SOCKET-C	F15256_HEKLA-SOCKET-D	F14988_HEKLA-SOCKET-E	F15616_HEKLA-SOCKET-F	F15848_HEKLA-SOCKET-G	F15858_HEKLA-SOCKET-H	F15859_HEKLA-SOCKET-I	F15956_HEKLA-SOCKET-J	C16142_HEKLA-SOCKET-K	C16142_HEKLA-SOCKET-K and B+W 4xx Typ L8	Bender & Wirth Hybrid 630 Hekla / Hekla XL
Citizen	CLU027-0303C1	13.5 x 13.5 x 0.9	6.0	•							•									•	•
	CLL02 x /CLU02 x (LES10)	13.5 x 13.5 x 0.9	9.8	•							•									•	•
	CLL03 x /CLU03 x	19 x 19 x 0.9	14.5				•									•				•	•
	CLU700/701	13.5 x 13.5 x 0.9	6.0	•							•									•	•
	CLU710/711	19 x 19 x 0.9	8.5													•				•	•
	CLU712	19 x 19 x 0.9	8.5				•									•					
	CLU720/721	19 x 19 x 0.9	11.0				•									•				•	•
	CLU7A2 (LES 4.2mm)	13.5 x 13.5 x 0.9	4.2	•							•									•	•
	LCN-C01B (Tunable White)	20 x 20 x 1	10.9																	•	
	LCN-C02B (Tunable White)	20 x 20 x 1	14.5																	•	
	CLC020 Series (Dim-To-Warm)	14 x 19 x 1	9.8																	•	
	CLC030 Series (Dim-To-Warm)	19 x 29 x 1	15.2																	•	
Cree	CXA/B 13xx	13.35 x 13.35 x 1.15	6.0					•									•			•	•
	CXA/B 15xx	15.85 x 15.85 x 1.15	8.9		•							•								•	•
	CXA/B 1816 & CXA/B 1820 & CXA 1850	17.85 x 17.85 x 1.15	12.0							•										•	•
	CXA/B 1830	17.85 x 17.85 x 1.15	14.0																	•	•
	CXA/B 25xx	23.85 x 23.85 x 1.15	19.0																	•	•
	CMA1306	13.35 x 13.35 x 1.15	6.0					•									•			•	•
	CMA1516	15.85 x 15.85 x 1.15	9.0		•							•								•	•
	CMA1825	17.85 x 17.85 x 1.15	12.0							•										•	•
	CMA1840	17.85 x 17.85 x 1.15	14.0																	•	•
	CMT14xx	13.35 x 13.35 x 0.9	9.8	•							•									•	•
	CMT19xx	18.85 x 18.85 x 0.9	14.5				•									•				•	•
LG	7W COB Small LES G2 Series	12 x 15 x 1	6.5											•						•	•
	7W COB G2 Series	16 x 19 x 1	9.0												•					•	•
	10W COB G2 Series	16 x 19 x 1	9.0												•					•	•
	16W COB G2 Series	20 x 24 x 1	13.0																	•	•
	21W COB G2 Series	20 x 24 x 1	13.0																	•	•
	32W COB G2 Series	20 x 24 x 1	15.0																	•	•
Lumileds	LUXEON CoB 1202HD	15 x 12 x 1.0	6.5											•						•	•
	LUXEON CoB 1204HD	19 x 16 x 1.0	9.0			•									•					•	•
	LUXEON CoB 1205HD	19 x 16 x 1.0	11.0			•									•					•	•
	LUXEON CoB 1202s	15 x 12 x 1.0	6.5											•						•	•

The information contained herein is the property of LEDiL Oy, Joensuunkatu 13, FI-24100 SALO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL® is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.

LEDiL®

HEKLA Compatibility

Manufacturer	LED	Dimensions (mm)	LES diameter (mm)	Solderless connectors					Sockets												
				F17435_HEKLA-G2-C	F17436_HEKLA-G2-D	F17437_HEKLA-G2-H	F17438_HEKLA-G2-I	F17439_HEKLA-G2-J	F15253_HEKLA-SOCKET-A	F15254_HEKLA-SOCKET-B	F15255_HEKLA-SOCKET-C	F15256_HEKLA-SOCKET-D	F14988_HEKLA-SOCKET-E	F15616_HEKLA-SOCKET-F	F15848_HEKLA-SOCKET-G	F15858_HEKLA-SOCKET-H	F15859_HEKLA-SOCKET-I	F15956_HEKLA-SOCKET-J	C16142_HEKLA-SOCKET-K	C16142_HEKLA-SOCKET-K and B+W 4xx Typ L8	Bender & Wirth Hybrid 630 Hekla / Hekla XL
Lumileds	LUXEON CoB 1202 / 1203	19 x 16 x 1.0	9.0			•									•					•	•
LUMILEDS	LUXEON CoB 1204 / 1205	20 x 24 x 1.0	13.0																	•	•
	LUXEON CoB 1208	20 x 24 x 1.0	15.0																	•	•
	LUXEON CoB S01	13.35 x 13.35 x 1.15	5.5					•									•			•	•
	LUXEON CoB M02 / M03	15.85 x 15.85 x 1.15	8.5		•							•								•	•
	LUXEON CoB L04 / L05	17.85 x 17.85 x 1.15	12.0							•										•	•
	LUXEON CoB L08	17.85 x 17.85 x 1.15	14.0																	•	•
Luminus	CXM-6 (13.x13.5)	13.5 x 13.5 x 0.87	6.3	•							•									•	•
LUMINUS	CXM-9 (13.5 x 13.5)	13.5 x 13.5 x 0.87	9.8	•							•									•	•
	CXM-9 (15 x 15)	15 x 15 x 0.87	9.6																	•	
	CHM-9 xH (19 x 19)	19 x 19 x 0.87	9.0				•									•				•	•
	CXM-11 (19 x 19)	19 x 19 x 0.87	11.7				•									•				•	•
	CHM-11 xH (19 x 19)	19 x 19 x 0.87	11.0				•									•				•	•
	CXM-14 (19 x 19)	19 x 19 x 0.87	14.5				•									•				•	•
	CXM-18 (21.5 x 21.5)	21.5 x 21.5 x 0.87	17.5																	•	
	CTM-9 (Tunable White)	12 x 15 x 0.98	9.5																	•	
	CTM-14 (Tunable White)	20 x 24 x 0.98	14.5																	•	
	CTM-18 (Tunable White)	20 x 24 x 0.98	17.5																	•	
	CDM-6 (Dim-To-Warm)	15 x 12 x 0.98	6.8																	•	•
	CDM-9 (Dim-To-Warm)	15 x 12 x 0.98	9.5																	•	•
	CDM-14 (Dim-To-Warm)	20 x 24 x 0.98	15.5																	•	•
	CDM-18 (Dim-To-Warm)	20 x 24 x 0.98	16.8																	•	•
Nichia	NFDWJ130B-V3 / COB J-Type	24 x 19 x 1	14.6																	•	•
NICHIA	NFCWJ108B-V3 / COB J-Type	24 x 19 x 1	14.6																	•	•
	NFCWJ120B-V3 / COB J-Type	24 x 19 x 1	14.6																	•	•
	NVEWJ048Z-V1 / COB J-Type	24 x 19 x 1	14.6																	•	•
	NFCWD084B-V3 / COB D-Type	24 x 19 x 1	13.4																	•	•
	NFCWD096B-V3 / COB D-Type	24 x 19 x 1	13.4																	•	•
	NFCWL060B-V3 / COB L-Type (LES 11)	19 x 16 x 1	11.5			•									•					•	•
	NFCWL036B-V3 / COB L-Type (LES 9)	19 x 16 x 1	8.7			•									•					•	•
	NFCWL048B-V3 / COB L-Type (LES 11)	19 x 16 x 1	11.5			•									•						

The information contained herein is the property of LEDiL Oy, Joensuunkatu 13, FI-24100 SALO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL® is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.

LEDiL®

HEKLA Compatibility

Manufacturer	LED	Dimensions (mm)	LES diameter (mm)	Solderless connectors					Sockets												
				F17435_HEKLA-G2-C	F17436_HEKLA-G2-D	F17437_HEKLA-G2-H	F17438_HEKLA-G2-I	F17439_HEKLA-G2-J	F15253_HEKLA-SOCKET-A	F15254_HEKLA-SOCKET-B	F15255_HEKLA-SOCKET-C	F15256_HEKLA-SOCKET-D	F14988_HEKLA-SOCKET-E	F15616_HEKLA-SOCKET-F	F15848_HEKLA-SOCKET-G	F15858_HEKLA-SOCKET-H	F15859_HEKLA-SOCKET-I	F15956_HEKLA-SOCKET-J	C16142_HEKLA-SOCKET-K	C16142_HEKLA-SOCKET-K and B+W 4xx Typ L8	Bender & Wirth Hybrid 630 Hekla / Hekla XL
Nichia	NFCWL072B-V3 / COB L-Type (LES 11)	19 x 16 x 1	11.5			•								•					•	•
	NVCWL024Z-V1 / COB L-Type (LES 11)	19 x 16 x 1	11.0			•								•					•	•
	NVEWL016Z-V1 / COB L-Type (LES 9)	19 x 16 x 1	8.9			•								•					•	•
	NTCWS024B-V3 / COB S-Type (LES 7)	15 x 12 x 1	6.7										•						•	•
	NJCWS024Z-V1 / COB S-Type (LES 7)	15 x 12 x 1	7.0										•						•	•
	NVNWS007Z-V1 / COB S-Type (LES 6)	15 x 12 x 1	5.9										•						•	•
	NTCWT012B-V3 / COB T-Type	15 x 12 x 1	5.9										•						•	•
	NJCWL024Z-V1MT: COB L-Type Tunable White	19 x 16 x 1	7.0																•	
	NVCWJ024Z-V1MT: COB J-Type Tunable White	24 x 19 x 1	10.6																•	
Osram OS	Soleriq S9	13.5 x 13.5 x 0.9	9.8	•							•								•	•
	Soleriq S13	19 x 19 x 0.9	14.7				•								•				•	•
	Soleriq S15	19 x 19 x 0.9	14.7				•								•				•	•
	Soleriq S19	24 x 24 x 0.9	17.9																•	•
Philips	Fortimo SLM L06 CoB	15 x 12 x 1	6.5										•						•	•
	Fortimo SLM L09 CoB	19 x 16 x 1	9.0			•								•					•	•
	Fortimo SLM L13 CoB	20 x 24 x 1	13.0																•	•
	Fortimo SLM L15 CoB	20 x 24 x 1	15.0																•	•
Samsung	LC010C G2	13.5 x 13.5 x 1	6.0	•							•								•	•
	LC020C G2	19 x 19 x 1	8.5				•								•				•	•
	LC030C / LC040C G2	19 x 19 x 1	11.5				•								•				•	•
	LC003D / LC006D / LC009D / LC013D	13.5 x 13.5 x 1	9.8	•							•								•	•
	LC016D / LC019D / LC026D / LC033D	19 x 19 x 1	14.5				•								•				•	•
Seoul	ZC-4 / ZC-6	13.5 x 13.5 x 0.9	8.6	•							•								•	•
	ZC-12 / ZC-18	19 x 19 x 0.9	14.6				•								•				•	•
	SAWS0661A / MJT COB LES 6	13.5 x 13.5 x 0.85	6.0	•							•								•	•
	SAWx0661A / MJT COB LES 6	13.5 x 13.5 x 0.85	6.0	•							•								•	•
	SAWS1063A / MJT COB LES 9.8	13.5 x 13.5 x 0.85	9.8	•							•								•	•

The information contained herein is the property of LEDiL Oy, Joensuunkatu 13, FI-24100 SALO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL® is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.

LEDiL®

HEKLA Compatibility

Manufacturer	LED	Dimensions (mm)	LES diameter (mm)	Solderless connectors					Sockets											
				F17435_HEKLA-G2-C	F17436_HEKLA-G2-D	F17437_HEKLA-G2-H	F17438_HEKLA-G2-I	F17439_HEKLA-G2-J	F15253_HEKLA-SOCKET-A	F15254_HEKLA-SOCKET-B	F15255_HEKLA-SOCKET-C	F15256_HEKLA-SOCKET-D	F14988_HEKLA-SOCKET-E	F15616_HEKLA-SOCKET-F	F15848_HEKLA-SOCKET-G	F15858_HEKLA-SOCKET-H	F15859_HEKLA-SOCKET-I	F15956_HEKLA-SOCKET-J	C16142_HEKLA-SOCKET-K	C16142_HEKLA-SOCKET-K and B+W 4xx Typ L8	Bender & Wirth Hybrid 630 Hekla / Hekla XL
Seoul	SAWx1062A / MJT COB LES 9.8	13.5 x 13.5 x 0.85	9.8	•							•								•	•
	SAWx1063A / MJT COB LES 9.8	13.5 x 13.5 x 0.85	9.8	•							•								•	•
	SAWS1564A / MJT COB LES 14.5	19.0 x 19.0 x 0.85	14.5				•								•				•	•
	SAWS1566A / MJT COB LES 14.5	19.0 x 19.0 x 0.85	14.5				•								•				•	•
	SAWx1564A / MJT COB LES 14.5	19.0 x 19.0 x 0.85	14.5				•								•				•	•
	SAWx1565A / MJT COB LES 14.5	19.0 x 19.0 x 0.85	14.5				•								•				•	•
	SAWx1566A / MJT COB LES 14.5	19.0 x 19.0 x 0.85	14.5				•								•				•	•
Tridonic	SLE G1 11mm 1000lm 927 Sunset R EXC	19 x 19 x 0.9	10.0				•								•				•	•
	SLE G1 15mm 2000lm 927 Sunset R EXC	19 x 19 x 0.9	13.5				•								•				•	•
	SLE G7 LES09	13.5 x 13.5 x 0.9	9.0	•							•								•	•
	SLE G7 LES13	19 x 19 x 0.9	13.0				•								•				•	•
	SLE G7 LES15	19 x 19 x 0.9	15.0				•								•				•	•
Vossloh-Schwabe	DMS102	13.5 x 13.5 x 1	6.0								•								•	•
	DMS124	13.5 x 13.5 x 1	9.0								•								•	•
	DMS125/126/128	19 x 19 x 1	13.8																•	•
	VCA102	13.5 x 13.5 x 0.9	6.0	•							•								•	•
	VCA123	13.5 x 13.5 x 0.9	9.1	•							•								•	•
	VCA125/127	19 x 19 x 0.9	13.8				•								•				•	•
	WU-M-618-920/930	13.5 x 13.5 x 0.9	9.8	•							•								•	•
	ERC 13009H1	13.5 x 13.5 x 1.2	9.8																•	•
	ERC 20015H1	19 x 19 x 1.2	14.5																•	•
	ERC 20025H1	19 x 19 x 1.2	14.5																•	•
Xicato	XOB 6 mm	13.5 x 13 x 5 x 0.9	6.0								•								•	
	XOB 9.8 mm	13.5 x 13 x 5 x 0.9	9.8	•							•								•	•
	XOB 14.5 mm	19 x 19 x 0.9	14.5				•								•				•	•

The information contained herein is the property of LEDiL Oy, Joensuunkatu 13, FI-24100 SALO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL® is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.