

STRADA-2X2-T1 – Reaching further

Launch date
January 1, 2016

LEDiL's wide range of high quality street light optics grows with the new acquaintance of STRADA-2X2-T1. Its precise two-way IESNA Type I beam throws light very far from the source and can be used as a highly efficient solution to cover large areas at once. As usual, the well-established 50x50mm footprint allows future-proof upgrades and cost efficient luminaire construction. STRADA-2X2-T1 support all major LED models up to 3535 size packages.

FEATURES

- 50x50mm module based structure
- IESNA Type I light distribution
- Optimized for a range of 3535 size LED packages*

TYPICAL APPLICATIONS

- Street lighting




C15135_STRADA-2X2-T1

* Go to www.ledil.com/product_search for complete listing of all qualified LEDs. Please send qualification request on email in case you think we are missing a specific LED.

TECHNICAL SPECIFICATIONS

- Dimensions: 50 x 50 mm
- Height: 7,78 mm
- Typical efficiency: 94
- Precision-molded from optical grade PMMA – UL94 HB rated material with operating rating -40°C to +80°C



DESIGN EXAMPLE

ORDERING INFORMATION

C15135_STRADA-2X2-T1

Consult www.ledil.com for ordering codes and latest product specifications, which may vary by LED